

virtual resources actual resources constructing

Search

Advanced Scholar Search

Scholar

Articles and patents

-

2003

include citations

Create email alert

Results 1 - 100 of about 2,730. (0.67 sec)

Virtual resources method, system, and service

LR Degenaro... - US Patent App. 10/665,564, 2003 - Google Patents
... alteration into a collection of **virtual resources** customized to a particular audience, includes **constructing** at least one **virtual resource**, **connecting** at least one **actual resource** to the at least one **virtual resource**, **retrieving** the at least one **virtual resource**, and **extracting** at least ...

[All 2 versions](#)

Designing grid services for distributed knowledge discovery

[\[PDF\] from psu.edu](#)

A Congiusta, A Pugliese, D Talia... - Web Intelligence and Agent ..., 2003 - IOS Press
... software technologies and, from this point of view, ap- pears as a “**virtual** system” in ... mentioned before has been de- signed as an application specific layer for **constructing** and publishing ... pro- cess descriptions are not bound to specific servers since the **actual resources** are later ...

[Cited by 26](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[\[PDF\] A comparison of Internet **resource** discovery approaches](#)

[\[PDF\] from psu.edu](#)

MF Schwartz, A Emrige, B Kahle... - Computing Systems, 1992 - Citeseer
... Library science has developed methods over hundreds of years to **construct** a model in ... for them in the appropriate index, or by browsing through related **virtual** systems. ... we now examine the transformations used between several existing Internet **resource** discovery systems. ...

[Cited by 140](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [BL Direct](#) - [All 31 versions](#)

The conceptual basis for mediation services

[\[PDF\] from stanford.edu](#)

G Wiederhold... - IEEE Expert, 2002 - ieeeexplore.ieee.org
... There is a strong linkage here to concepts such as **virtual** enterprises; mediation provides the required openness ... The mediator's designer can omit **resources** or add conditions on their use. A control rule, for instance, can state that only if the **actual** retrieval from a primary source ...

[Cited by 209](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Using parameterized URLs for **retrieving resource** content items

MJ Encarnacion, J Fiaks... - US Patent App. 10/742,635, 2003 - Google Patents
... CI.7 G06F 15/16 (52) US CI 709/217; 709/203 (57) ABSTRACT A UPnP network provides a flexible technique for **retrieving a resource** content item from a ... 1 OCDCDP-G- ' n^"* ! § gg-gi^ai gsa ||l4^ i |5| v 1 0> £ l =3 CO "St-l /* jfil \ 1 O — 10 :: J) / - - » l - J /\ **Resource Store** 320 3 ...

[All 2 versions](#)

[\[PDF\] Scalable internet **resource** discovery: Research problems and approaches](#)

[\[PDF\] from psu.edu](#)

CM Bowman, PB Danzig, U Manber, MF Schwartz... - 1993 - Citeseer

... The key behind the Dynamic WAIS gateways is the conceptual work of **constructing** the map ... the domains to search, the WAIS retrieval phase is mapped into an **actual** domain search ... Searching is a process where the user provides some description of the **resources** being sought ...

[Cited by 267](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [BL Direct](#) - [All 30 versions](#)

Apparatus and method for managing **resources** in a network combining operations with name resolution functions

K Horikiri, I Yamashita, S Kawabe... - US Patent ..., 1998 - Google Patents

... A user can obtain access to a **virtual resource** corresponding to the input name by using the handle. Owing to the above **construction**, an apparatus for and a method of managing **resources** can be provided which is capable of embodying a high-flexible distributed system ...

[Cited by 68](#) - [Related articles](#) - [All 2 versions](#)

Aiming at quality and coverage combined: blending physical and **virtual** union catalogues

J Gaterby - Online information review, 2002 - emeraldinsight.com

... is that in spite of the number of options in the standard, the **actual** searches that ... the OCLC Online Union Catalog) is the world's most comprehensive bibliographic reference **resource**, with over ... to provide flexible query facilities to **extract** data from real and **virtual** documents on ...

[Cited by 9](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

Supporting **resource** discovery among public internet archives using a spectrum of information quality

[\[PDF\] from psu.edu](#)

MF Schwartz, DR Hardy... - Distributed ..., 2002 - ieeeexplore.ieee.org

... to describe **resources** held there, and by encouraging site administrators to **construct** conceptual descrip- lions ... This change drastically reduces the storage requirements of uftpcache over caching entire ... Yet, we prcfcr missing some **resources** over having aftpcache guess what is ...

[Cited by 16](#) - [Related articles](#) - [Library Search](#) - [All 19 versions](#)

[PDF] **Extracting** answers from the web using knowledge annotation and knowledge mining techniques

[\[PDF\] from psu.edu](#)

JLAFB Katz... - Proceedings of the 11th Text Retrieval ..., 2002 - Citeseer

... Start is a natural language understanding system, and Omnibase is a **virtual** database that pro ... access schema has been crafted, a wrapper must be written for the knowledge **resource**. These wrappers supply the **actual** procedures used to execute queries of a specific form. ...

[Cited by 44](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [BL Direct](#) - [All 34 versions](#)

[CITATION] Reusing online **resources**: a sustainable approach to e-learning

[\[HTML\] from open.ac.uk](#)

A Littlejohn - 2003 - RoutledgeFalmer

[Cited by 152](#) - [Related articles](#) - [Library Search](#) - [All 17 versions](#)

A blueprint for introducing disruptive technology into the Internet

[\[PDF\] from psu.edu](#)

L Peterson, T Anderson, D Culler... - ACM SIGCOMM ..., 2003 - portal.acm.org

... [3] M. Balazinska, H. Balakrishnan, and D. Karger. INS/Twine: A Scalable Peer-to-Peer Architecture for Intentional **Resource** Discovery. ... [11] J. Gelinaz. **Virtual** private servers and security contexts. ... Topologically-Aware Overlay **Construction** and Server Selection. ...

[Cited by 706](#) - [Related articles](#) - [BL Direct](#) - [All 43 versions](#)

System and method for selecting and displaying hyperlinked information **resources**

WC Hill... - US Patent 6,256,648, 2001 - Google Patents

... Hill, WC, Stead, L., Rosentein, M. and Furnas, G., Pro- ceedings of CHI '95, Recommending and Evaluating Choices in a **Virtual** Community of Use, May 1995, pp. 194-201. ... One way of **constructing** a topic set would be to have the user examine all of the **resources** in the ...

[Cited by 43](#) - [Related articles](#) - [All 2 versions](#)

Internet **resource** discovery services

[\[PDF\] from tuqraz.ai](#)

K Obraczka, PB Danzig... - Computer, 2002 - [ieeexplore.ieee.org](#)

... Archie's developers have described it as a low-tech solution to the **resource** discovery and information-retrieval ... tor creates a link to the new **virtual** system in the master view of **virtual** systems so ... the basis of its user-visible name, and the client retrieves it by **constructing** a "handle ...

[Cited by 134](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

[PDF] A **Virtual** Reality Topology Tool For Maintaining Web-Sites

[\[PDF\] from psu.edu](#)

D Cleary, T Veale... - 2000 - Citeseer

... classification based on protocol the following protocol are currently supported: HTTP, FTP, GOPHER and MAILTO • Web-site boundary analysis is carried out to determine if a web **resource** belongs to ... 5.3 VISUALISATION The **construction** of the VRML **virtual** environment is ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Single sign-on for a network system that includes multiple separately-controlled restricted access **resources**

G Gadi - US Patent 6,629,246, 2003 - Google Patents

... 214 are performed by the sign-on applet as it executes within the JAVA **virtual** machine on ... of submitting the password may be accomplished, for example, by the applet (1) **constructing** a new ... For example, if the restricted **resource** is a web page, the web server will respond by ...

[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

Building applications for ubiquitous computing environments

C Hess, M Román... - Pervasive Computing, 2002 - Springer

... moves between spaces, the application can (un)bind new hardware **resources** and interfaces ... of devices, partitioning, and migration to accommodate the requirements of User **Virtual** Spaces ... However, we will be **constructing** more applications to validate our approach to building ...

[Cited by 70](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

Use of Optical **Storage** Devices as Shared **Resources** in Local Area Networks.

[\[PDF\] from dtic.mil](#)

JC Hoge... - 1989 - [oai.dtic.mil](#)

... Page 3. Approved for public release; distribution is unlimited. Use of Optical Storage Devices as Shared **Resources** In Local Area Networks by ... 49 11. Physical **Construction** of CD-ROM 54 12. ... control access to an optical storage device (or indeed any I/O device), it is ...

[Related articles](#) - [All 3 versions](#)

[BOOK] Computer integrated planning and design for **construction**

[\[PDF\] from icevirtuallibrary.com](#)

A Retik, D Langford... - 2001 - [books.google.com](#)

... Systems Development Managing an organisation, especially if it operates from and shares

resources with different ... An example in **construction** would be software designed to deliver the paperless project. ... from different locations with the 3D model of design or **virtual** environment ...

[Cited by 7](#) - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

Beyond PVM 3.4: What we've learned, what's next, and why

G Geist, J Kohi, P Papadopoulos... - ... Advances in Parallel Virtual ..., 1997 - Springer

... While the **actual** number of new functions in PVM 3.4 is small, these func- tions provide ... A scheduling tool retrieves information left by a **resource** monitor. ... The addition of communication contexts, message handlers, and message boxes to the parallel **virtual** machine environment ...

[Cited by 13](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

Communicating network **resource** locators to customer premises equipment using modified ring access

SW Cramer, BMA Michaud, CG Rohs... - US Patent ..., 2001 - Google Patents

... BSP + DRIVERS) (ROUTING TABLE) HARDWARE F/S = FLASH FILE JVM = JAVA **VIRTUAL** MACHINE RTX ... The telephone may be 65 instructed to navigate to a **resource** containing the ... in a browser enable the advertisement to incorporate any HTML **construct** including text ...

[Cited by 9](#) - [Related articles](#) - [All 3 versions](#)

Mechanism for **resource** allocation and for dispatching incoming calls in a distributed object environment

KE Moore... - US Patent 6,282,581, 2001 - Google Patents

... The communications framework supporting a base class having an interface definition for a **virtual** query op method, the interface definition ... invention relates generally to distributed objects environments and, in particular, to a mechanism for allocation of **resources** for incoming ...

[Cited by 51](#) - [Related articles](#) - [All 2 versions](#)

Routing of **resource** information in a network

MJ Encarnacion, J Flaks... - US Patent App. 10/742,588, 2003 - Google Patents

... Cl.7 G06F 15/16 (52) US Cl. (57) . 709/230 ABSTRACT A media server in a Universal Plug and Play (UPnP) network includes a **resource** sharing service to govern the distribution of **resource** information regarding **resources** to rendering devices. ...

[Related articles](#) - [All 5 versions](#)

Method and system for performing **virtual** address range mapping in a **virtual storage** data processing system

OK Ellert, DH Gibson, KG Rubsam... - US Patent ..., 1992 - Google Patents

... uses the invention to view and manipulate two forms of non-main storage data spaces. DESCRIPTION OF THE PREFERRED EMBODIMENT DASD (size, location on DASD) and **construct** 202 a ... A non-main **virtual** storage data space (NMDS) H 45 anchored in the services ...

[Cited by 38](#) - [Related articles](#) - [All 2 versions](#)

[PDF] SWISS-PROT: **connecting** biomolecular knowledge via a protein database

[\[PDF\] from horizonpress.com](#)

E Gasteiger, E Jung... - Current issues in molecular ..., 2001 - horizonpress.com

... together all related databases and combine them into one large **virtual** database. ... WormPD: model organism volumes of the BioKnowledge library, an integrated **resource** for protein ... **Construction** of HSC-2DPAGE: a two-dimensional gel electrophoresis database of heart proteins ...

[Cited by 82](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 7 versions](#)

[BOOK] Introduction to **Storage** Area Network, SAN

[PDF] from uni-heidelberg.de

RK Khattar... - 1999 - urz.uni-heidelberg.de
... He was one of the original Software Engineers on the RAMAC **Virtual** Storage Array (RVA) subsystem. ... Data is the underlying **resource** on which all computing processes are based; it is a ... a schematic overview of a SAN **connecting** multiple servers to multiple storage systems. ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 17 versions](#)

[BOOK] Constructing highly-available distributed metainformation systems

[PDF] from pucpr.br

A Calsavara... - 1996 - ppgia.pucpr.br
... from network **resources** , navigation through objects by traversing conceptual ob- ject relationships rather than **actual** links between network **resources** and request ... coherent and e ective platform for **constructing** object engines, as a starting point ... **resources**. Object engines: ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#)

A Comparison of Internet **Resource** Discovery A pproaches

[PDF] from usenix.net

A Emtage, BK Thinking... - Boulder, Colo.: University of ..., 1992 - usenix.org
... Library science has developed methods over hundreds of years to **construct** a model in which the user, with some experience, ... **Virtual** System Model, an approach to organizing large qsystems that allows users to build their own "**virtual** systems" from the available **resources**. ...

[Cited by 4](#) - [Related articles](#) - [All 6 versions](#)

Integrating Internet **Resource** Discovery Services with Open Hypermedia Systems

[RTF] from soton.ac.uk

R Holton... - 1993 - eprints.ecs.soton.ac.uk
... The user can build for themselves a **virtual** file system in the typical hierarchical structure ... creating the application as opposed to finding the material with which to **construct** it. ... suggest that Internet **Resource** Discovery systems are a panacea to the difficulties of locating **resources**. ...

[Cited by 3](#) - [Related articles](#) - [All 3 versions](#)

Delivering adaptive web content based on client computing **resources**

[PS] from uwu.ca

A Choi... - Engineering for Human-Computer Interaction, 2001 - Springer
... This represents the amount of total memory, both physical and **virtual** memory, being used on the client ... Once the location of the XSL stylesheet is determined, the **actual** XSL stylesheet is applied ... Delivering Adaptive Web Content Based on Client Computing **Resources** 345 ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

[PDF] Research problems for scalable internet **resource** discovery

[PDF] from psu.edu

OM Bowman, PB Danzig, MF Schwarz... - 1993 - Citeseer
... key behind the Dynamic WAIS gateways is the conceptual work of **constructing** the map ... to search, the WAIS retrieval phase is mapped into an **actual** domain search ... Without instrumentation, many services would waste network and secondary **store resources** on replicating rarely ...

[Cited by 17](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 12 versions](#)

Information organization in multimedia **resources**

R Kazman... - ... of the 11th annual international conference ..., 1993 - portal.acm.org
... Consequently, &adi- tional databases provide no easy way of **construct-** ing say, a muhimedia

atlas ... The idea is that by **storing** descriptions along with each image the user can ask things like "find me modern bungalows with two ... Information Organization in Multimedia **Resources** ...

[Cited by 7](#) - [Related articles](#) - [All 2 versions](#)

Components for distributed **virtual** environments

M Oliveira, J Crowcroft... - Presence: Teleoperators & Virtual ..., 2001 - MIT Press

... the experience of existing VE systems, but also from lessons learned from the **construction** of cyber ... takes full advantage of the rich functionality readily available in any Java **Virtual** Machine (JVM ... the cost of develop- ment of new technologies (both in terms of **resources** and time ...

[Cited by 12](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

Representing the semantics of **virtual** spaces

[\[PDF\] from psu.edu](#)

C Chen, L Thomas, J Cole... - Multimedia, IEEE, 2002 - [ieeeexplore.ieee.org](#)

... We can regard such an interpretation as a type of social **construction** of knowledge ... The persistent nature of StarWalker lets people access such **resources** as an integral part of ... In this way, StarWalker merges and integrates a media space with a collaborative **virtual** environ- ment ...

[Cited by 39](#) - [Related articles](#) - [BL Direct](#) - [All 18 versions](#)

[book] The **virtual** community: Homesteading on the electronic frontier

[\[TXT\] from indiana.edu](#)

H Rheingold - 2000 - [books.google.com](#)

... The US senator who campaigned for years for the **construction** of a National Research and Education ... way of passing information and communication around a network as a distributed **resource** with no ... xxiv Introduction and you have a **virtual** community growing in your bedroom ...

[Cited by 4175](#) - [Related articles](#) - [Library Search](#) - [All 14 versions](#)

Storing fragmented XML data into a relational database by decomposing XML documents with application specific mappings

HK Chau, IKC Cheng, JM Cheng... - US Patent App. 10/ ..., 2002 - Google Patents

... Atypical combination of **resources** may include client computers 102 that are personal computers or ... cations devices into the memory of the computer for use during **actual** operations ... By storage, the XML System provides mecha- nisms for **storing** and **retrieving** XML documents in ...

[Cited by 111](#) - [Related articles](#) - [All 4 versions](#)

[HTML] MetaLib and SFX: managing heterogeneous **resources** in the scholarly environment

[\[HTML\] from nko.cz](#)

T Sadegh - 2001 - [klement.nkp.cz](#)

... of Electrical Engineers ([www.iee.org](#)); a subject gateway, such as the Edinburgh Engineering **Virtual** Library (EEVL ... The information extracted from the record serves for the **construction** of an OpenURL, which is then processed ... Figure 3: **Connecting** to Heterogeneous **Resources**. ...

[Cited by 1](#) - [Related articles](#) - [Cached](#)

A concept for tactical wide-area network hub management

JP Schlaerth - ..., 1994. MILCOM'94. Conference Record, 1994 ..., 2002 - [ieeeexplore.ieee.org](#)

... in close proximity with hub **resources** has potential access to device data sets through hardware terminal ports, printer ports, and **virtual** terminal ports ... As the hub **resources** are activated, the EMT disseminates notifications to the managers that inform as to **actual** progress with ...

[Cited by 9](#) - [Related articles](#) - [BL Direct](#)

[PDF] Mobile **Resource** Awareness

(PDF) from kth.se

E Wiklander, T Kanter... - Master of Science Thesis, ..., 2001 - e.kth.se

... Non-physical objects **Virtual** Space ... The goal of my work is to study the possibilities to create a **resource** aware service and to work out a solution for such a service and to build a ... In addition to the **actual** creating of the system, a study of existing systems has been performed. ...

Cited by 3 - Related articles - View as HTML

[PDF] Digital archaeology: Rescuing neglected and damaged data **resources**

(PDF) from cvso.co.uk

S Ross... - British Library Research and Innovation Report, 1999 - cvso.co.uk

... The tape manufacturers then produce the **actual** storage media from the large rolls of coated material ... Digital Archaeology: Rescuing Neglected and Damaged Data **Resources** ... Most tapes will **store** the data sequentially, so retrieval, although lengthy, is a matter of reading a set of ...

Cited by 25 - Related articles - View as HTML - Library Search - All 17 versions

[BOOK] Electronic resumes & online networking: how to use the Internet to do a better job search, including a complete, up-to-date **resource** guide

R Smith - 2000 - books.google.com

... means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval ... for the instructive resume tutorial on her award-winning eResumes & **Resources** site (eResumes ... B. Seeker is fictional, his resume is based on an **actual** person who ...

Cited by 2 - Related articles - Library Search - All 3 versions

[BOOK] Semi-automated web **resource** discovery and analysis: An approach based on interactive machine learning principles

(PDF) from psu.edu

A Pedersen - 2001 - Citeseer

... an idea of how Topic Maps, even without any occurrences **connecting** them to ... new **resources** the Topic Extractor automatically extracts entities and relations from the discovered **resources**. ... Topics are modelled as Facets, Identities, Associations or any other Topic Map **construct**. ...

Cited by 2 - Related articles - View as HTML - All 5 versions

[PDF] Database Access and Integration

(PDF) from ogsadai.org.uk

M Atkinson, P Kunszt, I Narang... - ... commissioned for the ..., 2003 - ogsadai.org.uk

... Heterogeneity Transparency: The access mechanism should be independent of the **actual** implementation of ... Schema Change Transparency: Data **resources** should be allowed to rearrange their data, eg ... A strategy that delivers aspects of **virtual** databases is to combine specific ...

Cited by 1 - Related articles - View as HTML - All 3 versions

InfoGrid: providing information integration for knowledge discovery

(PDF) from psu.edu

N Giannidakis, A Rowe, M Ghanem... - Information Sciences, 2003 - Elsevier

... Specifying and **storing** those semantic links, namely providing metadata information as to how a ... Since all **resources** are XML based, they all provide a common query model, which ... of an XML Schema [43] view of the documents they return and a **construct** selection mechanism ...

Cited by 40 - Related articles - All 12 versions

[PDF] Aura: an architectural framework for user mobility in ubiquitous computing environments

(PDF) from psu.edu

JP Sousa, D Garian - Proceedings of the 3rd Working IEEE/IFIP ..., 2002 - Citeseer
... the user from the heterogeneity of computing environments as well as from the variability of **resources**. ... 4 The choice of the **actual** mechanisms for file access is an implementation issue: one Envi ... The web pages of some of the hotels include short videos featuring **virtual** visits to ...

[Cited by 436](#) - [Related articles](#) - [View as HTML](#) - [All 26 versions](#)

[BOOK] What You See is what You **Store**: Database Driven Interfaces

[\(PDF\) from psu.edu](#)

J Thamm... - 1997 - Citeseer
... 1 which presently contains null values (shown as ?d?). When the **actual** GUI-interface ... model matches nicely the hierarchical structure of widgets and that **resources** map easily ... VAG (1996) VRML Architecture Group: The **Virtual** Reality Modeling Language Specification - Version ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 7 versions](#)

Implementation of a dynamic scheduler for apparel computer integrated manufacturing systems

D GRA•ANIN, KP VALAVANIS, SAS Jr... - Journal of Intelligent ..., 1997 - Springer
... Once the schedule is tested, it can be applied to the **actual** ... These attributes are consulted when placing a machine in the **virtual** environment, to make sure that no constraints ... 15, from the library of known machines/ **resources** stored in the object-oriented database as shown in ...

[Related articles](#)

Challenges for machine learning in cooperative information systems

[\(PDF\) from psu.edu](#)

M Singh... - ... Intelligence Meets Machine Learning Learning in ..., 1997 - Springer
... such as database access, information malls, workflow management, elec- tronic commerce, and **virtual** enterprises. ... To **construct** mediators effectively requires some common represen- ... Figure 4 schematically shows a typical situation in which **resources** are represented as boxes ...

[Cited by 7](#) - [Related articles](#) - [BL Direct](#) - [All 14 versions](#)

Implementation of a dynamic scheduler for apparel computer integrated manufacturing systems

D Gracanin, KP Valavanis, Ji TW... - Journal of Intelligent ..., 1997 - ingentaconnect.com
... Once the schedule is tested, it can be applied to the **actual** ... These attributes are consulted when placing a machine in the **virtual** environment, to make sure that no constraints ... 15, from the library of known machines/ **resources** stored in the object-oriented database as shown in ...

[Related articles](#) - [BL Direct](#) - [All 2 versions](#)

Virtual network mechanism to access well known port application programs running on a single host system

KC Yu - US Patent 5,636,371, 1997 - Google Patents
... 58d ^ TOKEN RING FDDI 58c ^ r i HOST SYSTEf PHYSICAL **RESOURCES** ^1 >/0 ... OUTPUTO, IOCTLQ & RESET() CALL IF_ ATTACH () TO ADD THE **VIRTUAL** HOST IFNET ... 15 IOCTL 720 IOCTL COMMAND DECODE SIOCSIFADDR SIOCSIFFLAGS 721 **STORE** THE LOCAL ...

[Cited by 156](#) - [Related articles](#) - [All 2 versions](#)

Human **resource** networking system and method thereof

KR Neal Jr - US Patent App. 20,040/153,472, 2003 - freepatentsonline.com
... 1. A Human **Resource** Networking System, comprising: a Relational Database **storing** People Elements ... system, as recited in claim 1, wherein said Relational Database comprises a Relational Information and an Industry Credit Inductive Lineage **Construct** Matrix for ...

[Cached](#) - [All 2 versions](#)

VisualExpresso: Generating a **virtual** reality internet

[\[PDF\] from psu.edu](#)

D Cleary... - High-Performance Computing and Networking, 1999 - Springer
... VMRL provides a hierarchical language that allows **construction** of graphical objects in a manner that satisfies these criteria. ... 3. Kalawsky Roy S. The Science of **Virtual** Reality and **virtual** Enviroments. ... Request for Comments: 1738, Uniform **Resource** Locators (URL). ...

[Cited by 4](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

[PDF] Active SANs: Hardware Support for Integrating Computation and Communication

[\[PDF\] from psu.edu](#)

C Ulmer, C Wood... - ... of the Workshop on Novel Uses of ..., 2002 - Citeseer
... The operating environment significantly influences the **construction** of key operations such as dynamic reconfiguration. ... This approach follows the concepts of demand paging in **virtual** memory, where a ... network allows other devices in the cluster to make use of these **resources**. ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Capabilities of the NASA/IPAC Extragalactic Database (NED) in the Era of a Global **Virtual** Observatory

[\[PDF\] from arxiv.org](#)

JM Mazzarella, BF Madore, G Helou... - Arxiv preprint astro-ph/ ..., 2001 - arxiv.org
... '**virtual** observatory' is new, but the concept is essentially the same as that outlined ... As a third example, the NED image archive presents an unprecedented **resource** for developing ... In addition, **construction** of intelligent Web 'agent' programs that can transverse the External Links ...

[Cited by 2](#) - [Related articles](#) - [Library Search](#) - [All 9 versions](#)

[PDF] Internet-based, out-of-core flow visualization

[\[PDF\] from psu.edu](#)

J Tourtellott... - SPIE proceedings series, 2001 - Citeseer
... (In practice, the lookahead parameter could be set to match the expected and/or **actual** network latency ... out-of-core throughput As with any **virtual** memory system, the proof-of-concept software consumes platform **resources**/overhead in providing and managing **virtual** data for ...

[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

Virtual local area network well-known port routing mechanism for mult--emulators in an open system environment

KC Yu - US Patent 5,734,865, 1998 - Google Patents
... SERVICES) ETHERNET LAN TOKEN RING FDDI 58cx HOST SYSTEM PHYSICAL **RESOURCES** ... STRUCTURE 705 CALL IF_ ATTACH () TO ADD THE **VIRTUAL** HOST IFNET ... 720 SIOCSIFADDR 721 IOCTL COMMAND DECODE SIOCSIFFLAGS 722 **STORE** THE LOCAL ...

[Cited by 117](#) - [Related articles](#) - [All 2 versions](#)

[BOOK] Internet **resources** for engineers

J He - 1998 - books.google.com
... Metscape **Store** • Internet Guide Communicator, Books Instant Messenger Wednesday • Net Search • **Virtual** Office Specialized ... In order to carry out a thorough search for a particular topic within the vast Internet **resources**, you need to use several different types of search ...

[Cited by 3](#) - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

[TXT] The World Wide Web and emerging Internet **resource** discovery standards for scholarly literature

[\[TXT\] from illinois.edu](#)

S WEIBEL - ILLINOIS, 1995 - [Ideals.illinois.edu](#)

... One disadvantage of these is that either the page has to be stored as an **actual** image, which loses much of the ... The implications of declining library **resources** and improving electronic technology for document access and supply: A review article. ... The **virtual** library: Almost there ...

[Cited by 17](#) - [Related articles](#) - [Cached](#) - [BL Direct](#) - [All 7 versions](#)

A Model for Collaborative Search and Retrieval of Domain Specific Information on The Internet

M Sun... - Advances in Concurrent Engineering: Ce2000, 2000 - [books.google.com](#)

... examples of this type of information gateways include the WWW **Virtual** Library 13 ... data, technical publication, news, project data, etc) • users' annotations • universal **resource** locator (URL ... on known WWW servers which are more likely relevant to the **construction** users interests. ...

[Related articles](#) - [All 2 versions](#)

Browsing electronically-accessible **resources**

AJ Lennon - US Patent App. 09/493,220, 2000 - [Google Patents](#)

... 0208473 AI 1900 Video Display 1930 1916 Communication channel r 1902 I I 19K D ^1912 |

Video Interface Storage Device I ... 6, 2003 BROWSING ELECTRONICALLY-ACCESSIBLE

RESOURCES COPYRIGHT NOTICE [0001] This patent document contains material subject to

[Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

Internet-based collaborative product design with assembly features and **virtual** design spaces

[\[PDF\] from unb.br](#)

N Shyamsundar... - Computer-Aided Design, 2001 - [Elsevier](#)

... has validated the Internet as the medium for collaborative engineering providing designers access to computing **resources**. ... VDES i of C i or VDES i of SA i . The **virtual** design space ... component or sub-assembly is available, then there are several methods for **constructing** a tight ...

[Cited by 125](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

[PDF] Open digital libraries

[\[PDF\] from psu.edu](#)

H Suleman - 2002 - [Citeseer](#)

... In particular, DLs can be built by **connecting** small components that communicate through a family of lightweight protocols, using XML as the data interchange mechanism. ... 147 7.5.6 Storage..... ...

[Cited by 60](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 14 versions](#)

An industry foundation classes Web-based collaborative **construction** computer environment: WISPER

I Faraj, M Alshawl, G Aouad, T Child... - ... in **Construction**, 2000 - [Elsevier](#)

... Each menu item references a Uniform **Resource** Locator (URL) that submits an HTTP request to the ... are able to interact with the VRML model and to **retrieve** other **construction** data which is ... the design needs to be uploaded to the ObjectStore database and the **virtual** reality (VR ...

[Cited by 49](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

[BOOK] Protected Internet, Intranet, & **Virtual** Private Networks

[\[PDF\] from justpain.com](#)

A Moldovyan, N Moldovyan, D Summerville... - 2003 - [justpain.com](#)

... The third chapter discusses **Virtual** Private Networks (VPNs). ... of the application programs and the irregularity and heterogeneity of the computing system significantly complicates the **construction** and administration of a ... Part of the protected information **resources** located on the ...

[Related articles](#) - [Library Search](#) - [All 2 versions](#)

[BOOK] [The active interview](#)

JA Holstein... - 1995 - [books.google.com](#)

... electronic or mechanical, including photo- copying, recording, or by any information storage and retrieval ... Two kinds of communicative contingency influence the **construction** of the active subject behind the ... 15 and framing **resources** for developing both the subject and his or her ...

[Cited by 1123](#) - [Related articles](#) - [Library Search](#) - [BL Direct](#) - [All 8 versions](#)

[Knowledge management and the internet](#)

R Dieng - Intelligent Systems and their Applications, IEEE, 2002 - [ieeexplore.ieee.org](#)

... That organization can be an **actual** enterprise, a public organization, or just a department or ... It can also be a group, community, or **virtual** enterprise comprising members from different ... capabilities and relies on semantic metadata or annotations on the **resources** constituting the ...

[Cited by 71](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[PDF] [AVirtual CONSTRUCTION ENVIRONMENT \(VCE\) FOR MACRO PLANNING](#)

[\[PDF\] from psu.edu](#)

AF Waly - 2001 - [Citeseer](#)

... **Resources** Means and Methods ... Adjei-Kumi and Retik (1997) use **virtual** reality technology for the realistic visualization of simulation of **construction** projects at the ... major **construction** processes and test various execution strategies prior to the **actual** start of **construction**. ...

[Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 2 versions](#)

[Adlet: an active document abstraction for multimedia information fusion](#)

[\[PDF\] from ksi.edu](#)

SK Chang... - Knowledge and Data Engineering, IEEE ..., 2002 - [ieeexplore.ieee.org](#)

... Capabilities must be provided to allow the adlets to organize and search the **resource** space by **constructing** links ... 7 **VIRTUAL GRAPH CONSTRUCTION** AND UPDATE ... on the distance information and the underlying advertising strategy, the adlet selects a set of **virtual** sites to be ...

[Cited by 21](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[Generating and storing a link correlation table in hypertext documents at the time of storage](#)

Y Tabata, T Yano... - US Patent 6,537,324, 2003 - [Google Patents](#)

... A file unit **storing** therein corre- lated information files. ... TWO-DIMENSIONAL BAR CODE 1 DEVELOP HTML SOURCE CODE 1 **EXTRACT** DIFFERENCE BETWEEN ... ADDRESS (URL) OF CORRELATED INFORMATION FILE 1 S1208 **RETRIEVE** CORRELATED INFORMATION ...

[Cited by 36](#) - [Related articles](#) - [All 2 versions](#)

[PDF] [Improving Knowledge Management via Effective Document Management System Design](#)

[\[PDF\] from psu.edu](#)

M Ginsburg - International Symposium on Information Systems and ..., 2001 - [Citeseer](#)

... Documents also contain a significant amount of **actual** (explicit) and inferable (implicit ... structured queries, alternate user interface metaphors (such as a "**virtual** landscape of ... "**Constructing**, Organizing, and Visualizing Collections of Topically Related Web **Resources**", ACM Trans. ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[CITATION] [Application of product data management technologies for enterprise integration](#)

[\[PDF\] from psu.edu](#)

JX Gao, H Aziz, PG Maropoulos... - International Journal of ..., 2003 - Taylor & Francis

[Cited by 44](#) - [Related articles](#) - [BL Direct](#) - [All 15 versions](#)

Contexts, work processes, and workspaces

[IPDF1 from psu.edu](#)

A Agostini, G Michelis, MA Grasso, W Prinz... - Computer Supported ..., 1996 - Springer

... The name of an object is often not expressive or user friendly enough for its use in a user interface.

Therefore a **construction** rule for a user friendly name can be supplied for an object type. ... In this

case the **actual** user identity is used to answer a request. ... procedure **resource** ...

[Cited by 59](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

Accelerated large data distribution in overlay networks

R Izmailov, S Ganguly, N Tu... - US Patent App. 10/749,947, 2003 - Google Patents

... **Virtual** links (172-194), **connecting** the overlay nodes or servers correspond to the point-to ... either

static, where network **resources** are reserved, or dynamic, where network **resources** are not ... Still

further, the **construction** of trees may be based on monitoring the underlying network ...

[All 2 versions](#)

Internet-accessible information retrieval tools for advanced DB/IR courses

[IPDF1 from eah1.edu.co](#)

SJ Cunningham - ACM SIGCSE Bulletin, 1996 - portal.acm.org

... percentages and distributions - but illustrate the flexibility and effectiveness of **constructing** queries

based on ... ConSearch <http://www.imsworld.com/imitil> (**Virtual** Yellow Pages WWW directot-v) ...

Information filtering **resources** list: <http://www.glue.umd.edu/enee/medlab/filter/filter> ...

[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

Integrating public and private network **resources** for optimized broadband wireless access and method

WA Hagen - US Patent App. 09/832,679, 2001 - Google Patents

... The integration operator services include databases and servers for **storing** and providing

subscriber and network provider information for ... of 17 US 2002/0075844 AI TOP LAYER OF

HIERARCHY: IDENTITIES 3010 , 3100 , 3200 , 3300 Subscriber Table **Resource** Provider ope ...

[All 2 versions](#)

Project Graphs and meta-programs towards a theory of Software development

D Björner - System Development and Ada, 1987 - Springer

... emulated, then the 'run-time system design' also includes the design of such a **virtual** machine

interpreter ... realistic **resource** estimates: time and number of people needed. ... Reviewing the project

graph and based on **actual** experience we remark the following: the developers who ...

[Cited by 8](#) - [Related articles](#) - [All 3 versions](#)

Information retrieval programs on the Internet: tools for teaching IR

[IPDF1 from waikato.ac.nz](#)

SJ Cunningham - 1995 - researchcommons.waikato.ac.nz

... ConSearch commercial product provides an interesting variation: it searches The **Virtual** Yellow

Pages ... NAISmap to view and manipulate National Atlas spatial data to **construct** a personalized ...

collections, many of which are of direct interest as reference **resources** (eg, technical ...

[Related articles](#) - [Library Search](#) - [All 5 versions](#)

Knowledge modeling--State of the art

V Devedzic - Integrated Computer-Aided Engineering, 2001 - IOS Press

... In building knowledge-based systems, developers usually **construct** new knowledge bases from scratch. ... the definition and use of metadata – de- scriptions of Web-based **resources** – but is ... extends the C++ language to cope with permanent object storage, production rules (data ...

[Cited by 37](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)

[ps] DISCOVER the Web-database

N Gupta - 1997 - dsl.serc.lisc.ernet.in

... system. 5. object name : This is the **actual** name of the web **resource** required. ... the unstructured web or a schema-less web **resources**. A **virtual** schema is a scheme suggested for either web or web **resource** to **construct** database for them. (For example recognizing few ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[CITATION] Discover your Scottish ancestry: Internet and traditional resources

GS Holton... - 2003 - Edinburgh University Press

[Related articles](#) - [Library Search](#) - [All 4 versions](#)

Analysis of nonlinear dynamics on arbitrary geometries with the Virtual Cell

JC Schaff, BM Slepchenko, YS Choi... - ... Journal of Nonlinear ..., 2001 - link.aip.org

... from the fluorescent intensity, it can still differ significantly from the **actual** situation without ... Thus, our efforts to develop the **Virtual** Cell will continue to offer exciting research ... from National Institutes of Health through grants from National Center for Research **Resources** (Grant Nos ...

[Cited by 56](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

yourSky: rapid desktop access to custom astronomical image mosaics

JC Jacob, R Brunner, DW Curkendall... - 2002 - trs-riew.jpl.nasa.gov

... virtually anywhere because the architecture also supports very lightweight computing **resources**, ordinary desktop ... for the loosely coupled, distributed architecture of the National **Virtual** Observatory (NVO ... The yoursky software includes subsystems for: (i) **construction** of the image ...

[Cited by 4](#) - [Related articles](#) - [All 7 versions](#)

Constraints as mobile specifications in e-commerce applications

KY Hui, PMD Gray, GJL Kemp... - Semantic Issues in E- ..., 2003 - books.google.com

... combination of p and o. Now if we go back to the problem of **constructing** a CSP ... We use constraints to capture domain knowledge, which is distributed among different **resources**. ... KRAFT employs an agent architecture which makes it very suitable to support **virtual** organisations ...

[Cited by 10](#) - [Related articles](#) - [All 11 versions](#)

Virtual point of sale processing using gateway-initiated messages

GA Kramer... - US Patent 6,163,772, 2000 - Google Patents

... In one embodiment, a method for **virtual** point of sale processing using gateway-initiated messages, includes establishing a first communication ... R 1820 r~ WWW SERVER III I iii STANDARD TERMINAL ADMIN ' 1 STANDARD TERMINAL ' ADMIN n **STORE** FRONT SHOPPING ...

[Cited by 89](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] from lisc.ernet.in](#)

[\[PS\] from lisc.ernet.in](#)

[\[PDF\] from uci.edu](#)

[\[PDF\] from nasa.gov](#)

[\[PDF\] from psu.edu](#)

[\[PDF\] Gridella: an open and efficient Gnutella-compatible Peer-to-Peer System based on the P-Grid approach](#)

[\[PDF\] from psu.edu](#)

R Schmidt - 12.077-16.175-14.091-6.932-6.242-7.688-5.454-4.347 ..., 2002 - Citeseer

... They do not share files and **resources** but only produce search requests. ... of Gridella's essential algorithmic foundations: P-Grid (Section 3.1), the process of **constructing** the P ... system is a decentralized file-sharing system whose participants form a **virtual** network communicating ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[Adapting to network and client variation using infrastructural proxies: Lessons and perspectives](#)

[\[PDF\] from berkeley.edu](#)

A Fox, SD Gribble, Y Chawathe... - Personal ..., 2002 - [ieeexplore.ieee.org](#)

... consists of caches (currently Harvest [13]) and service-specific modules that implement the **actual** service (data ... The TACC API allows all cache workers to be managed as a single **virtual** cache by ... we ran out of hardware), or until adding more of the saturated **resource** no longer ...

[Cited by 424](#) - [Related articles](#) - [EEL Direct](#) - [All 15 versions](#)

[\[BOOK\] Multimedia and virtual reality: designing multisensory user interfaces](#)

[HTML\] from lavoisier.fr](#)

A Sutcliffe - 2003 - [books.google.com](#)

... 12 Tangible User Interfaces 12 Definitions and Terminology 14 Physical Media Formats and Storage 16 Logical ... vii Exploration and Navigation 87 Context Switching 88 Design Features 90 Integrating **Resources** and Action ... Suggesting how to design natural **virtual** worlds and ...

[Cited by 45](#) - [Related articles](#) - [Library Search](#) - [All 6 versions](#)

[Content proxy method and apparatus for digital television environment](#)

EM Schwaib - US Patent App. 09/795,720, 2001 - Google Patents

... Electronic Program Guides, broadcast browsers, etc; [0017] 2. It encapsulates **resource** allocation and ... To access and **retrieve** the information, an application program interface provides a single ... from and based upon the parsed content information and to **store** such information ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[Integration of data between typed objects by mutual, direct invocation between object managers corresponding to object types](#)

D Khoyi, MS Soucie, CE Surprenant... - US Patent ..., 1993 - Google Patents

... 07/088,176 to Marc San Sou- eie, et al., titled CUSTOMIZATION BY AUTO- MATED **RESOURCE** SUBSTITUTION, filed the same day as the present ... While certain systems of the prior art have attempted to solve these problems, for example, by **constructing** 55 object, the object ...

[Cited by 168](#) - [Related articles](#) - [All 2 versions](#)

[Providing security and interoperation of heterogeneous systems](#)

[\[PDF\] from buffalo.edu](#)

S Dawson, S Qian... - Distributed and Parallel Databases, 2000 - Springer

... to our sample integration effort, Clinic and Hospital are MLS relational databases containing (**actual**) data from ... Based on the **resource** descriptions, queries q2a and q2b are the only foldings that may ... are used in the query processing to produce the view of the **virtual** relation for ...

[Cited by 75](#) - [Related articles](#) - [EEL Direct](#) - [All 9 versions](#)

[\[PDF\] Parallel simulation of radio resource management in wireless cellular networks](#)

[\[PDF\] from diva-portal.org](#)

M Lijerstam - 2000 - [kth.diva-portal.org](#)

... can, at least, reduce the penalty from mem- ory limitations compared to relying on **virtual** memory
paging to ... Parallel Simulation of Radio **Resource** Management in Wireless Cellular Networks
8 ... or system in such a way that the model mimics the response of the **actual** system to ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

Multitasking system having an application integration mechanism for linking differently typed data objects

D Khoji, M San Soucie, CE Surprenant... - US Patent ..., 1995 - Google Patents
... referenced US patent applica- to solve these problems, for example, by **constructing** tion Ser ... verv
difficult to communicate data between users and DATA PROCESSING SYSTEM **STORING** DATA
45 ... 1 An Object Type: Folder 1.2 Links 20 1.3 Profiles 1.4 **Resources** 1.5 Operating ...

[Cited by 124](#) - [Related articles](#) - [All 2 versions](#)

Peer-mediated distributed knowledge management

[\(PDF\) from psu.edu](#)

M Bonifacio, P Bouquet, G Mameli... - Agent-Mediated Knowledge ..., 2003 - Springer
... space [19], partitioned repre- sentation [15]); studies on the social **construction** of knowledge ... within
formal and informal groups and communities (eg, through "**virtual** communities" and ... receive
responses (list of advertisements) that describe the available services and **resources**. ...

[Cited by 59](#) - [Related articles](#) - [BL Direct](#) - [All 20 versions](#)

Navy Distributed **Virtual** Library Requirements Analysis.

[\(PDF\) from dtic.mil](#)

DP Duncan... - 1995 - pai.dtic.mil
... continue the development of navigational tools, including a **virtual**, distributed Federal STI locator."
Classified ... percent) prefer to use their office comput- ers to reach the information **resources** they
need, either by **connecting** directly to STI databases or by **connecting** to the ...

[All 3 versions](#)

Virtual path-based static routing

JL Timbs - US Patent 5,809,025, 1998 - Google Patents
... 1912 **STORE** ROUTING INFORMATION IN NODES FIG.21 ... the shared transmission path), and
the **resource** allocation for setting-up and clearing the system **resources** at the ... this type of system,
a switching model generates a route setup cell that includes a **virtual** circuit identifier ...

[Cited by 28](#) - [Related articles](#) - [All 5 versions](#)

Adaptive enterprise optimization (AEO) framework and methods

A Brodsky, J King... - US Patent App. 10/372,407, 2003 - Google Patents
... 2, 2003 from simple components, which are instances of BEMs (representing **actual** business
entities ... eg, when a producer is producing a physical **resource**) or a "**virtual**" **resource** (eg, when ...
[0084] There is only one **Resource** Instance class, so that all **resources** are represented ...

[All 4 versions](#)

Design principles for the information architecture of a SMET education digital library

[\(PDF\) from psu.edu](#)

A Dong... - Proceedings of the 1st ACM/IEEE-CS joint ..., 2001 - portal.acm.org
... information, are among the numerous information processing tasks [13] associated with
constructing mental models ... to **store** profiling information to help locate and collaborate with "**virtual**
colleagues ... is able to create a personal conceptual model of learning **resources** and share ...

[Cited by 24](#) - [Related articles](#) - [All 41 versions](#)

The STARLIGHT information visualization system

JS Risch, DB Rex, ST Dowson... - Information ..., 2002 - [ieeexplore.ieee.org](#)
... in two parallel, but interconnected, data structures: one for **storing** and **retrieving** the **actual** content of ... If an Ancillary Information **Resource** (AIR, eg, a map) displayed in the 3-D Workspace has also ...
[7] Risch, JS, May, RA, Dowson, ST, Thomas, JJ, 1996, "A **Virtual** Environment for ...

[Cited by 56](#) - [Related articles](#) - [All 6 versions](#)

Proceedings of the Workshop: Development of Biological Decision Support Systems for **Resource** Managers

[\[PDF\] from dlc.mi](#)

, ... FORT COLLINS CO BIOLOGICAL RESOURCES DIV - 1999 - [oal.dtic.mil](#)
... Page 2. Technical Report Series The Biological **Resources** Division publishes scientific and technical articles and reports resulting from the research performed by our scientists and partners. These articles appear in professional journals around the world. ...


[Related articles](#) - [All 3 versions](#)

[\[PDF\] Grid enabling technologies](#)

[\[PDF\] from psu.edu](#)

SC Farantos, S Stamatiadis, N Nellari... - 2002 - [Citeseer](#)
... Thus, we **construct** small local computational Grids, which allow us to run a few applications. ... The objective can be summarized as building a single **virtual** machine for handling distributed, heterogeneous computing **resources**. ...


[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

 [Create email alert](#)

Go

oooooooooooo

ogle



Result Page:

1

2

3

4

5

6

7

8

9

10

Next

virtual resources actual resources c

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)